Specifications



Mureva lights, Floodlight 300W, IP65 230V

IMT47224

Main

Range	Mureva	
range of product	Mureva lights	
product or component type	Floodlight	
device application	Ware-houses and parking garages Residential Media device support Public areas Secure lighting Stadiums and arenas	

Complementary

· · · · · · · · · · · · · · · · J	
Type of installation	Outdoor
Total system power	300 W
Light source	LED
[Ue] rated operational voltage	230 V AC
Power factor	0.9
Colour rendering index	R _a =80
Luminous flux	36000 lm
Bulb lifespan	50000 h
Colour temperature	6500 K
Colour tint	Black
Provided equipment	Sensor
Electrical insulation class	Class E
Beam angle	110 °
Shape	Rectangular
Height	439.0 mm
Width	339.0 mm
Depth	71.0 mm
net weight	7.64 kg

Environment

Environmental characteristic	Weatherproof	
IP degree of protection	IP65	
IK degree of protection	IK06	

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Ambient air temperature for	-3045 °C
operation	

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	30.000 cm
Package 1 Width	40.000 cm
Package 1 Length	60.000 cm
Package 1 Weight	10.076 kg
Unit Type of Package 2	P12
Number of Units in Package 2	8
Package 2 Height	75.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	93.608 kg

Contractual warranty

Warranty

5 years

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

How we assess product sustainability >



Sustainable Packaging Transparency

Resource performance

Sustainable Packaging

3

Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
Scip Number	F6dba672-b275-44fd-8c36-b87d77230240

Image of product / Alternate images

Alternative





























